

ELAN RENTAL
COLLECTION
2017/18



elan

Always Good Times

ELAN RENTAL PROGRAM

FROM BEGINNERS WHO LOOK FOR FAST LEARNING AND CONFIDENCE TO EXPERTS WHO DEMAND TOP PERFORMING GEAR.



1 KEY TECHNOLOGIES

★★★★★

ARROW TECHNOLOGY
AMPHIBIO 4D TECHNOLOGY
TNT TECHNOLOGY

★★★★★

WAVEFLEX
SLIMSHAPE
PARABOLIC ROCKER

★★★

PARABOLIC ROCKER
EARLY RISE ROCKER
DURA SHIELD
DYNAFLEX

JUNIOR

U-FLEX

2 MAIN BENEFITS

THE RIGHT
PRODUCT

Define perfect setup for your rental customers with Discovery range

DURABILITY

Get more skiing hours on Elan skis with long durability

FAST LEARNING

Improve rate of return from your customers

EXTENDED
PROMOTION

Promote your business through Elan Discovery site

3 POINT OF DIFFERENCE

DURABILITY

FAST LEARNING
SPECIFIC MODELS

SPECIFIC MODELS
FOR TERRAIN
BASED LEARNING

4 PROMOTIONAL PROGRAM


SELL-IN SUPPORT
PROGRAM

IN-STORE/WINDOW
ITEMS



THE RIGHT PRODUCT


EASY SELECTION OF PRODUCTS FOR YOUR CUSTOMERS



PARABOLIC EARLY RISE

**MORE CONTROL AND
CONFIDENCE**

- + STEERING GUIDING
- + LENGTHS SUITABLE FOR TERRAIN
BASED LEARNING




XCELERATED LEARNING.



**MORE MANEUVERABILITY,
IMPROVED CARVING**

- + EDGE ENGAGEMENT



XPLORE THE MOUNTAIN.



MORE ALL TERRAIN PERFORMANCE

- + ALL MOUNTAIN VERSATILITY AND PERFORMANCE



XCEL YOUR SKIING.

PROVEN QUALITY

MORE RENT HOURS PER INVESTMENT

REINFORCED BASE AND EDGES

E The base is stronger and easy to repair. The edges have been reinforced to support the ski structure and allow several ski tunings.

D *Die Lauffläche ist widerstandsfähiger und einfach zu reparieren. Die Kanten wurden verstärkt, um die Skistruktur zu unterstützen und erlauben eine Feinabstimmung der Ski.*

F La semelle est plus résistante, et facile à réparer. Les carres sont renforcées, pour solidifier la structure et autoriser de nombreuses préparations.

I *La soletta è più robusta e facile da riparare. Le lamine sono rinforzate per supportare la struttura dello sci e consentire numerose preparazioni.*

SINTERED RUNNING BASE

E Made with sinter process to improve the glide and wear characteristics of skis and snowboards in the high quality market segment. It increases performance from bases in different snow conditions taking up from 20 to 35% more wax as extruded running bases resulting in longer maintenance cycle. Both types of running bases can be repaired the same way while sintered bases are less sensitive.

D *Ein gesinterter Belag überzeugt durch beste Gleiteigenschaften und dadurch mehr Geschwindigkeit und das bei so gut wie allen Schneebedingungen. Er wird deshalb vor allem im 'high end' Segment eingesetzt. Im Vergleich zu einem extrudierten Belag kann er 20-30% mehr Wachs aufnehmen und ist dadurch auch pflegeintensiver. Beide Belagsarten können im selben Verfahren repariert werden.*

F Semelle frittée à haute densité qui améliore les caractéristiques de glisse et de résistance à l'usure des skis et des snowboards dans le segment haut de gamme. Elle rehausse la performance des semelles dans différentes conditions de neige, rendant possible la rétention du fart de 20% à 35% plus élevée en comparaison à une semelle par extrusion, ce qui allonge de plus le cycle d'entretien. Ces deux types de semelle peuvent être entretenues selon la même méthode, la semelle frittée étant moins sensible aux entretiens.

I *Realizzate con il processo di sinterizzazione per migliorare lo scivolamento e ridurre l'usura, sono caratteristiche degli sci e snowboard nel mercato di alta qualità. Aumentano prestazioni dalle basi su neve diverse dal 20 al 35%, assorbono più sciolina dell'estruso con conseguente ciclo di manutenzione più lungo. Entrambi i tipi di basi possono essere riparate allo stesso modo; le basi sinterizzate sono meno delicate.*

NANO TECHNOLOGY RUNNING BASE

E Outstanding gliding performance, improved grinding, long life through less wear and tear.

D *Hervorragende Gleiteigenschaften, längere Lebensdauer durch weniger Verschleiß.*

F Technologie NANO Glisse exceptionnelle, accroche optimisée, durée de vie rallongée grâce à moins d'usures.

I *Caratteristiche di scivolamento superiori, maggiore durata della soletta.*

+NANOTECH
RUNNING BASE




DURASHIELD TECHNOLOGY

E Thicker top sheet with an extremely durable structure to prevent damage and ensure the good looks of the skis for years.

D *Dickeres Top Sheet mit extrem langlebiger Struktur.*

F Dessus plus épais et doté d'une structure très résistante.

I *Superficie superiore più spessa e più resister.*



EXTENDED PROMOTION



- 1 PVC banner discovery
SALES CODE: PSD00214
- 2 Cube carton display
SALES CODE: PSC00513
- 3 Shop window sticker
SALES CODE: PSD00413
- 4 Outdoor flag discovery
SALES CODE: PSD00114
- 5 Indoor flag discovery
SALES CODE: PSD00115
- 6 Floor mat
SALES CODE: PSP06010
- 7 Wall hanging display 2 x 2,5 m
SALES CODE: PSD00314
- 8 Elan screwdriver
SALES CODE: PSM00413
- 9 Apron
SALES CODE: PSM10013
- 10 Baseball cap logo
SALES CODE: PST01115
- 11 Demo table cloth
SALES CODE: PSP01313
- 12 Wall display
SALES CODE: PSC00213
- 13 Discovery vest
SALES CODE: PSD00313

LEARN FASTER SKI BETTER PACKAGE

- Have good time with satisfied skiers and better customer return rate through faster learning & better skiing. 100% guaranteed with Elan learning package
- Complete product package for accelerated learning
- Rental equipment to increase retention rate



JUNIOR PACKAGE



EXPLORE PRO QUICK SHIFT/TRACK



EXAR PRO FLAT/TRACK



FREELINE CAMO QUICK SHIFT



SKI BOOTS: 16.5-22.5



RS ROCKER



RADON MICRO

FLEXING SKI




PROBLEM

- E** Stiff flex = Slow learning
- D** Steifer Flex = Langsames Lernen
- F** Trop de rigidité = Apprentissage plus long
- I** Sci rigido = Apprendimento lento



IDEA

- E** Extreme flex on short length
- D** Sehr weicher Flex bei kurzer Länge
- F** Extrême souplesse Sur une longueur courte
- I** Flessibilità elevata nelle lunghezze basse



SOLUTION

U-FLEX

- E**
 - 25% softer
 - Easy turning = Simple learning
- D**
 - 25% + weicher
 - Leichtes Drehen = Einfaches Lernen
- F**
 - 25% plus souple
 - Virages facilités= Simple pour apprendre
- I**
 - 25% + flessibile
 - Curva facile = Apprendimento semplice

FLEXING SKI BOOT



- E** Flexing ski boot
- D** Flexender skischuh
- F** Une chaussure de ski flexible
- I** Flessibilità dello scarpone



- E** Keeping the feet warm
- D** Die füsse bleiben wärmer
- F** Les pieds restent encore plus au chaud
- I** I piedi restano più caldi



- E** Movable sole
- D** Die Sohle passt sich der Biegung
- F** La semelle bouge
- I** La suola si muove



It's my opinion that this technology is only going to increase the fun factor and accelerate the learning for kids all over the world! Watching my 6 year old, Lachlan, move onto the U-flex boots and skis was remarkable. With all that additional flex available to him he was able to access the value of a shaped ski when going slow, and left what we ski instructors call "rail road tracks" in the snow.



Finally there is a new and perfect working ski and shoe system on the market. The U-Flex system makes skiing much easier and the kids will get success faster than with normal skis. The flexing ski boot is very comfortable and the kids can do nearly everything with them. A system which makes the kids and also the ski teachers happy.



U-Flex is an innovation underlining new findings recently released from a study conducted over a new method of teaching called SkiEdina, which objectively stating the advantages that U-Flex technology provides. SkiEdina was developed by the ski school's team of instructors, and aims to redefine the learning process by teaching parallel turns from the start, instead of focusing on the snowplow. The results clearly showed that U-Flex construction of the skis and boots provided significant enhancement to the learning process. www.schneeschule.at.



Killington Resort in Killington, Vt., is the winner of the 2015 National Ski Areas Association (NSAA) Conversion Cup Challenge. This annual award recognizes resorts across the country that have developed outstanding programs to convert new skiers and snowboarders into lifelong enthusiasts. Killington managed to execute a new "learn-to" program in last to seasons, the 4-Day Elan Discovery Program, which offered a unique incentive to 900 ski students to complete the four-day series: their own pair of skis, free of charge. The overall results of Killington's conversion efforts are impressive. A total of 98 percent of participants have completed the program so far, and 96 percent say they are likely to continue to ski or ride.

Georgie Bremner
Buttermilk School Manager | Aspen Skiing Company

Andreas Achmüller
ski school chief ULLR Ski and Snowboard school

SkiEdina

Killington Resort
WINS NSAA 2015 CONVERSION CUP AWARD

ADULT PACKAGE



BEST LEARNING SKIS ACCORDING TO US SKI SCHOOLS



HIGH PERFORMANCE & UPGRADE RENTAL SKI



EXPLORE 10 TI PS




EXPLORE 76 TRACK/QT/FLAT



EXPLORE 72 TRACK/QT/FLAT

THE BEST PERFORMING, EASY LEARNING RENTAL SYSTEM

1. Parabolic Sidecut
2. Subtle Early Rise Rocker
3. Forward Waist and Mount Position
4. Simple color coding on skis & bindings for fast handling during peak hours
5. Thicker top sheet with extreme durable structure



ELAN UNIQUE SIDECUT FORMULA



E Lower edge angle to start the turn

D Niedrigerer Kantenwinkel um die Drehung einzuleiten

F Un angle de carre plus court pour l'entrée de virage

I Minor inclinazione dello sci all'inizio curva



E Direct turn initiation

D Direkte Schwungeinleitung

F Entrée en virage facilitée

I Inizio curva diretto




E Stability and round turn, shape through the turn

D Stabilität und harmonischer Kurvenverlauf

F Stabilité dans le virage, déformation dans le virage

I Stabilità e rotondità di curva



Elan Explore skis as an impact on the industry and our mountain has been absolutely phenomenal. The Explore Technology allows for easier turn engagement and a quicker transition from the wedge to parallel skiing. This season, we have had a faster turnover rate from first day skiers to big carpet, or chairlift riders than before with conventional shaped skis.

Kyle Steinmetz,
Learning Center Director, Mount Sunapee Resort



"The introduction of Elan's Explore rental ski has been game changing for our lesson participants. Not only does the ski have all the efficiencies and design needed for a contemporary rental operation, but it performs beyond expectations in a myriad of conditions. The ski simply makes learning fun and easy."

Dave Beckwith,
Director of Golf and Snow Sports, Killington Resort | Pico Mountain



Our new Elan Explore Adult and Junior rental skis are a huge time saver for the rental staff. The color coded boot and binding system gets our guests in and out the door quickly to enjoy a day of skiing. New skiers and our learning center rave about the skis performance and ease of turning. Bottom line, a happy guest translates into someone who will return and recommend our resort to others!

Tom Whittles,
Rental Manager Roundtop Mountain Resort

COLOR CODE

| | | | | | | | |
|------------|-----|-----|-----|-----|-----|-----|-----|
| | 120 | 130 | 140 | 150 | 160 | 170 | 175 |
| EXPLORE 76 | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| EXPLORE 72 | ■ | ■ | ■ | ■ | ■ | ■ | ■ |

| | | | | | | | | | |
|-------------|----|----|----|-----|-----|-----|-----|-----|-----|
| | 70 | 80 | 90 | 100 | 110 | 120 | 130 | 140 | 150 |
| EXAR PRO | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| EXPLORE PRO | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |



SP EXAR

- SALES CODE:** CD974617
- PROFILE:** Aluminium
- TUBE:** Ø18mm
- LENGTH (CM):** 110-135
- BASE COLOR:** White / Green
- GRIP:** Ergonomic Rental transparent grip
- STRAP:** System strap
- BASKET/TIP:** Basket 55/90mm + steel
- SPECIAL FEATURE:** Color Code



| 2017/18 MODEL | STRUCTURED TOP SHEET | DURA SHIELD | SEMI CAP | CAP CONSTRUCTION | COLOR CODING | SINTERED RUNNING BASE | THICKER EDGES |
|--------------------------------------|----------------------|-------------|----------|------------------|--------------|-----------------------|---------------|
| ★★★★★ | | | | | | | |
| GSX FUSION | | | ● | | | ● | ● |
| SLX FUSION | | | ● | | | ● | ● |
| SL FUSION | | | ● | | | ● | ● |
| SPEED MAGIC POWER SHIFT | | | ● | | | ● | ● |
| SLX WAVEFLEX POWER SHIFT | ● | | ● | | | ● | ● |
| GSX WAVEFLEX POWER SHIFT | ● | | ● | | | ● | ● |
| AMPHIBIO 88 XTI FUSION | | | ● | | | ● | ● |
| AMPHIBIO 84 XTI FUSION | | | ● | | | ● | ● |
| AMPHIBIO 84 TI DEMO POWER SHIFT | | | ● | | | ● | ● |
| AMPHIBIO 80 TI POWER SHIFT | | | ● | | | ● | ● |
| AMPHIBIO 16 TI2 DEMO FUSION | ● | | ● | | | ● | ● |
| AMPHIBIO 14 TI FUSION | ● | | ● | | | ● | ● |
| AMPHIBIO 12 TI POWER SHIFT | ● | | ● | | | ● | ● |
| INSOMNIA POWER SHIFT | | | ● | | | ● | ● |
| DELIGHT SUPREME POWER SHIFT | | | ● | | | ● | ● |
| RIPSTICK 86 | | | ● | | | ● | ● |
| RIPSTICK 86 W | | | ● | | | ● | ● |
| ★★★★★ | | | | | | | |
| AMPHIBIO 76 TI FUSION | ● | | ● | | | ● | ● |
| AMPHIBIO 10 TI POWER SHIFT | ● | | ● | | | ● | ● |
| EXPLORE 10 TI POWER SHIFT | ● | | ● | | | ● | ● |
| SLING SHOT DEMO | | | | ● | ● | | ● |
| EXPLORE 82 POWER SHIFT/FLAT | ● | | | ● | | | ● |
| DELIGHT PRIME LIGHT SHIFT | | | ● | | | ● | ● |
| DELIGHT STYLE LIGHT SHIFT | | | | ● | | | ● |
| ZEST LIGHT SHIFT | ● | | | ● | | | ● |
| ★★★ | | | | | | | |
| EXPLORE 76 FLAT/QUICK TRICK/TRACK | | ● | | ● | ● | | ● |
| EXPLORE 76 RS FLAT/QUICK TRICK/TRACK | | ● | | ● | ● | | ● |
| EXPLORE RACE FLAT/QUICK TRICK/TRACK | | ● | | ● | ● | ● | ● |
| EXPLORE 72 FLAT/QUICK TRICK/TRACK | | ● | | ● | ● | | ● |
| EXPLORE X FLAT/LIGHT SHIFT | ● | | | ● | ● | | ● |
| JUNIOR | | | | | | | |
| EXPLORE PRO FLAT/TRACK | ● | | | ● | ● | | ● |
| EXAR PRO FLAT/TRACK | ● | | | ● | ● | | ● |
| FREELINE CAMO QUICK SHIFT | ● | | | ● | | | ● |
| FREELINE CAMO R FLAT/TRACK | ● | | | ● | | | ● |



NEW MODEL

GSX FUSION

CODE
AAJDAL17

PROFILE
Early Rise Rocker

TECHNOLOGY
Arrow Technology,
RST Sidewall,
Response Frame Woodcore,
Dual Ti

GEOMETRY
110/68/94*, 110/69/94

LENGTH RADIUS
170(17.4)*, 175(19),
180(21.2)

SYSTEM/PLATE
FUSION + ARROW
CARBON PLATE

BINDING
ELX 12.0 FUSION
BLK/RED



NEW MODEL

SLX FUSION

CODE
AAKQK17

PROFILE
Early Rise Rocker

TECHNOLOGY
Arrow Technology,
RST Sidewall,
Response Frame Woodcore,
Dual Ti

GEOMETRY
119/68/102, 120/68/103,
121/68/104, 122/69/105

LENGTH RADIUS
155(11/10), 160(12/11),
165(14/12), 170(15/13)

SYSTEM/PLATE
FUSION + ARROW
CARBON PLATE

BINDING
ELX 12.0 FUSION
BLK/RED



NEW MODEL

SL FUSION

CODE
AALCQL17

PROFILE
Early Rise Rocker

TECHNOLOGY
Arrow Technology,
RST Sidewall,
Response Frame Woodcore,
MonoTi

GEOMETRY
119/68/102, 120/68/103,
121/68/104, 122/69/105

LENGTH RADIUS
155(11/10), 160(12/11),
165(14/12), 170(15/13)

SYSTEM/PLATE
FUSION + ARROW
PLATE

BINDING
ELX 11.0 FUSION
BLK/SMOKE





★★★★★



NEW MODEL

SPEED MAGIC POWER SHIFT

CODE
ACACZW17

PROFILE
Early Rise Rocker

TECHNOLOGY
Arrow Technology,
RST Sidewall,
Response Frame Woodcore,
MonoTi

GEOMETRY
115/66/98, 117/67/100,
119/68/102, 120/68/103,
121/68/104

LENGTH RADIUS
145(10.5), 150(10.5/9.5),
155(11.3/10), 160(12.5/11),
165(14/12)

SYSTEM/PLATE
POWER SHIFT+ ARROW PLATE

BINDING
ELS 11.0 SHIFT BLK/SMOKE



SLX WAVEFLEX POWER SHIFT

CODE
AAMDV17

PROFILE
Camber

TECHNOLOGY
WaveFlex,
RST sidewall,
Laminated Woodcore,
Dual Ti*

GEOMETRY
112/65/94, 107/66/102,
116/66/104*

LENGTH RADIUS
145(10.9), 150(11.3),
155(11.5)*, 160(12.1)*,
165(12.9)*, 170*(13.4)*

SYSTEM/PLATE
POWER SHIFT

BINDING
ELS 11.0 SHIFT
BLK/SMOKE



GSX WAVEFLEX POWER SHIFT

CODE
AAMDV17

PROFILE
Camber

TECHNOLOGY
WaveFlex,
RST sidewall,
Laminated Woodcore,
Dual Ti

GEOMETRY
103/65/88*, 110/67/96

LENGTH RADIUS
152(15.2)*, 158(17.1)*,
164(15.9), 170(17.2),
176(18.6), 182(20.0)

SYSTEM/PLATE
POWER SHIFT

BINDING
ELS 11.0 SHIFT
BLK/SMOKE





AMPHIBIO 88 XTI FUSION

CODE
ABACRU17

PROFILE
Amphibio

TECHNOLOGY
Amphibio 4D Technology,
RST Sidewall,
Response Frame Woodcore,
Dual Shaped XTi

GEOMETRY
135/88/116

LENGTH RADIUS
170(15.5), 176(17.2),
184(19)

SYSTEM/PLATE
FUSION

BINDING
ELX 12.0 FUSION
WB95 BLK/SMOKE



AMPHIBIO  TECHNOLOGY

AMPHIBIO 84 XTI FUSION

CODE
ABBBCSA17

PROFILE
Amphibio

TECHNOLOGY
Amphibio 4D Technology,
RST sidewall,
Power Woodcore,
Dual Shaped XTi

GEOMETRY
131/84/112

LENGTH RADIUS
164(14.6), 170(15.8),
176(17.1), 182(18.5)

SYSTEM/PLATE
FUSION

BINDING
ELX 12.0 FUSION
BLK/SMOKE



AMPHIBIO  TECHNOLOGY

AMPHIBIO 84 TI DEMO POWER SHIFT

CODE
ABEDLR17

PROFILE
Amphibio

TECHNOLOGY
Amphibio 4D Technology,
RST Sidewall,
Power Woodcore,
Dual Shaped Ti

GEOMETRY
131/84/112

LENGTH RADIUS
164(14.6), 170(15.8),
176(17.1), 182(18.5)

SYSTEM/PLATE
POWER SHIFT

BINDING
ELS 11.0 SHIFT
WB90 BLK/SMOKE



AMPHIBIO  TECHNOLOGY



AMPHIBIO 80 TI POWER SHIFT

CODE
ABFCTE17

PROFILE
Amphibio

TECHNOLOGY
Amphibio 4D Technology,
RST Sidewall,
Power Woodcore,
Dual Shaped Ti

GEOMETRY
126/80/108

LENGTH RADIUS
152(11,8), 160(13,3),
168(14,9), 176(16,5)

SYSTEM/PLATE
POWER SHIFT

BINDING
ELS 11.0 SHIFT
WB90 BLK/SMOKE



AMPHIBIO  TECHNOLOGY

+NANOTECH
RUNNING BASE

AMPHIBIO 16 TI2 DEMO FUSION

CODE
ABHCTP17

PROFILE
Amphibio

TECHNOLOGY
Amphibio 4D Technology,
Nano Running Base,
RST Sidewall,
Response Frame Woodcore,
Dual Shaped Ti2

GEOMETRY
121/73/104

LENGTH RADIUS
160(13,3), 166(14,5),
172(15,7), 178(17)

SYSTEM/PLATE
FUSION

BINDING
ELX 12.0 FUSION
BLK/SMOKE



AMPHIBIO  TECHNOLOGY

+NANOTECH
RUNNING BASE

AMPHIBIO 14 TI FUSION

CODE
ABICQC17

PROFILE
Amphibio

TECHNOLOGY
Amphibio 4D Technology,
Nano Running Base,
RST Sidewall,
Response Frame Woodcore,
Dual Shaped Ti

GEOMETRY
121/73/104

LENGTH RADIUS
160(13,3), 166(14,5),
172(15,7), 178(17)

SYSTEM/PLATE
FUSION

BINDING
ELX 11.0 FUSION
BLK/SMOKE



AMPHIBIO  TECHNOLOGY



AMPHIBIO 12 TI POWER SHIFT

CODE
ABJCTS17

PROFILE
Amphibio

TECHNOLOGY
Amphibio 4D Technology,
RST Sidewall,
Power Woodcore,
Dual Shaped Ti

GEOMETRY
125/78/107

LENGTH RADIUS
152(11.8), 160(13.3),
168(14.9), 176(16.5)

SYSTEM/PLATE
POWER SHIFT

BINDING
ELS 11.0 SHIFT
BLK/SMOKE



AMPHIBIO  TECHNOLOGY

INSOMNIA POWER SHIFT

CODE
ACCCPX17

PROFILE
Amphibio

TECHNOLOGY
Amphibio 4D Technology,
RST Sidewall,
Trulite Woodcore,
Dual Shaped Ti

GEOMETRY
121/73/104

LENGTH RADIUS
146(11.3), 152(12.2),
158(13.3), 164(14.5),
170(15.7)

SYSTEM/PLATE
POWER SHIFT

BINDING
ELW 11.0 SHIFT BLK/TRQ



AMPHIBIO  TECHNOLOGY

DELIGHT SUPREME POWER SHIFT

CODE
ACFCZP17

PROFILE
Early Rise Rocker

TECHNOLOGY
SlimShape Technology,
RST Sidewall,
TubeLite woodcore,
Fiberglass

GEOMETRY
125/78/107

LENGTH RADIUS
146(10.6), 152(11.7),
158(12.8), 164(14.4)

SYSTEM/PLATE
POWER SHIFT

BINDING
ELW 10.0 SHIFT WHT



 SLIMSHAPE
TECHNOLOGY



★★★★★



NEW
MODEL

RIPSTICK 86 POWER SHIFT

CODE
ADDCVM17

PROFILE
Amphibio

TECHNOLOGY
TNT technology,
SST sidewall,
TubeLite Woodcore,
Vapor Tip,
Fiberglass

GEOMETRY
127/86/106,
128/87/108,
130/88/110

LENGTH RADIUS
168(16.2), 176(17.6),
184(19.2)

SYSTEM/PLATE
POWER SHIFT

BINDINGS
ELS 11.0 SHIFT WB90
BLK/SMOKE

TNT
TECHNOLOGY



NEW
MODEL

RIPSTICK 86W POWER SHIFT

CODE
ADGDFC17

PROFILE
Amphibio

TECHNOLOGY
TNT technology,
SST sidewall,
TubeLite Woodcore,
Vapor Tip,
Fiberglass

GEOMETRY
125/86/104, 127/87/106,
128/88/108

LENGTH RADIUS
158(15.4), 166(16.2),
174(17.6)

SYSTEM/PLATE
POWER SHIFT

BINDINGS
EL 10.0 SHIFT WB90
BLK/SMOKE

TNT
TECHNOLOGY





AMPHIBIO 76 TI FUSION

CODE
ABGDPW17

PROFILE
Amphibio

TECHNOLOGY
WaveFlex™,
DST Sidewall,
Power Woodcore,
Mono Ti

GEOMETRY
125/76/105

LENGTH RADIUS
152(11,5), 160(12,9),
168(14,4), 176(16,0)

SYSTEM/PLATE
FUSION

BINDING
EL 11.0 SHIFT (B 85)
BLK/SMOKE



AMPHIBIO 10 TI POWER SHIFT

CODE
ABKCSB17

PROFILE
Amphibio

TECHNOLOGY
WaveFlex™,
DST Sidewall,
Power Woodcore,
Mono Ti

GEOMETRY
125/76/105

LENGTH RADIUS
152(11,5), 160(12,9),
168(14,4), 176(16,0)

SYSTEM/PLATE
POWER SHIFT

BINDING
EL 11.0 SHIFT (B 85)
BLK/SMOKE





EXPLORE 10 TI POWER SHIFT

CODE
ABLCTV17

PROFILE
Parabolic Rocker

TECHNOLOGY
WaveFlex™, PST Sidewall, Dual Woodcore, Mono Ti

GEOMETRY
125/76/104

LENGTH RADIUS
152(12), 160(13.5), 168(15.1), 176(16.7)

SYSTEM/PLATE
POWER SHIFT

BINDING
EL 10.0 SHIFT
BLK/SMOKE



SLING SHOT DEMO

CODE
ABRCVL17

PROFILE
JIB Rocker

TECHNOLOGY
Monoblock, Laminated Woodcore, Fibreglass

GEOMETRY
114/82/109, 115/83/110, 116/84/111, 117/85/112, 118/86/113, 119/87/114

LENGTH RADIUS
149(11.9), 156(12.9), 161(14), 166(15.2), 171(16.3), 176(17.5)

SYSTEM/PLATE
TRACK

BINDINGS
ESP 10.0 TRACK PM



EXPLORE 82 POWER SHIFT/FLAT

CODE
AGADQQ17 (POWER SHIFT),
AGADMA17 (FLAT)

PROFILE
Mountain Rocker

TECHNOLOGY
Full Power Cap, Power Woodcore, Vapor Inserts, Fibreglass

GEOMETRY
123/82/106

LENGTH RADIUS
152(12.4), 160(14), 168(15.7), 176(17.6)

SYSTEM/PLATE
FLAT / POWER SHIFT

BINDING
EL 10.0 SHIFT WB90
BLK/SMOKE





THE
LIGHTEST
IN THE
WORLD

NEW
MODEL

DELIGHT PRIME LIGHT SHIFT

CODE
ACGCQP17

PROFILE
Early Rise Rocker

TECHNOLOGY
SlimShape Technology,
PST Sidewall,
TruLite woodcore

GEOMETRY
126/76/103

LENGTH RADIUS
146(10.5), 152(11.5),
158(12.6), 164(14.1)

SYSTEM/PLATE
LIGHT SHIFT

BINDING
ELW 9.0 SHIFT WHT



DELIGHT STYLE LIGHT SHIFT

CODE
ACHCQP17

PROFILE
Early Rise Rocker

TECHNOLOGY
SlimShape Technology,
Supralite woodcore

GEOMETRY
124/74/102

LENGTH RADIUS
140(9.3), 146(10.3),
152(11.3), 158(12.4)

SYSTEM/PLATE
LIGHT SHIFT

BINDING
ELW 9.0 SHIFT WHT



ZEST LIGHT SHIFT

CODE
ACJCQN17

PROFILE
Parabolic Rocker

TECHNOLOGY
Waveflex,
Full Power Cap,
SupraLite Core

GEOMETRY
125/76/103

LENGTH RADIUS
140(10.2), 146(11.3),
152(12.3), 158(13.9)


SYSTEM/PLATE
LIGHT SHIFT

BINDING
ELW 9.0 SHIFT WHT



SlimSHAPE
TECHNOLOGY

SlimSHAPE
TECHNOLOGY



COLOR CODE

EXPLORE 76 FLAT/QUICK TRICK/TRACK

CODE
AGCCYU17 (FLAT),
AGCCY17 (QUICK TRICK),
AGCCZA17 (TRACK)

PROFILE
Parabolic Rocker

TECHNOLOGY
Dura Shield Technology,
Express, Monoblock,
Complex Woodcore,
Fibreglass

GEOMETRY
118/73/100, 118/74/101,
118/75/102, 119/76/103,
120/77/104, 121/78/105

LENGTH RADIUS
130(8.7), 140(11.1),
150(12.5), 160(14.1),
170(15.8), 175(17.5)

SYSTEM/PLATE
FLAT/QUICK TRICK/TRACK

BINDING
EL 10.0 QT BLK/SMOKE
ESP 10.0 TRACK PM



EXPLORE 76 RS FLAT/QUICK TRICK/TRACK

CODE
AGBDLZ17 (FLAT),
AGBDBN17 (QUICK TRICK),
AGBDBP17 (TRACK)

PROFILE
Parabolic Rocker

TECHNOLOGY
Dura Shield Technology,
Express, Monoblock,
Complex Woodcore,
Fibreglass

GEOMETRY
118/73/100, 118/74/101,
118/75/102, 119/76/103,
120/77/104, 121/78/105

LENGTH RADIUS
130(8.7), 140(11.1),
150(12.5), 160(14.1),
170(15.8), 175(17.5)

SYSTEM/PLATE
FLAT/QUICK TRICK/TRACK

BINDING
EL 10.0 QT BLK/SMOKE,
ESP 10.0 TRACK PM





COLOR CODE

EXPLORE RACE FLAT/QUICK TRICK/TRACK

CODE
AGDDCP17 (FLAT),
AGDDL17 (QUICK TRICK),
AGDCLA17 (TRACK)

PROFILE
Parabolic Rocker

TECHNOLOGY
Dura Shield Technology,
Express,
Monoblock,
Complex Woodcore,
Fibreglass

GEOMETRY
108/68/94, 116/73/100,
114/71/103*

LENGTH RADIUS
120(8.1), 130(8.7),
140(10.3)*, 150(11.6)*,
160(13.1)*, 170(14.7)*

SYSTEM/PLATE
FLAT/QUICK TRICK/TRACK

BINDING
EL 10.0 QT BLK/SMOKE
ESP 10.0 TRACK PM



EXPLORE 72 FLAT/QUICK TRICK/TRACK

CODE
AGECZB17 (FLAT),
AGECZC17 (QUICK TRICK),
AGECZD17 (TRACK)

PROFILE
Early Rise Rocker

TECHNOLOGY
Dura Shield Technology,
Express, Monoblock,
Complex Woodcore,
Fibreglass

GEOMETRY
108/68/94, 116/73/100,
114/71/103*

LENGTH RADIUS
120(8.1), 130(8.7),
140(10.3)*, 150(11.6)*,
160(13.1)*, 170(14.7)*

SYSTEM/PLATE
FLAT/QUICK TRICK/TRACK

BINDING
EL 10.0 QT BLK/SMOKE
ESP 10.0 TRACK PM

EXPLORE X FLAT/ LIGHT SHIFT

CODE
AGFCYM17 (FLAT),
AGFCZE17 (LIGHT SHIFT)

PROFILE
Parabolic Rocker

TECHNOLOGY
Dynaflux Technology,
Full Power Cap,
Synflex Core,
Fibreglass

GEOMETRY
114/72/103

LENGTH RADIUS
138(9.7), 144(10.7),
152(11.9), 160(13.4),
168(15)

SYSTEM/PLATE
FLAT/LIGHT SHIFT

BINDING
EL 10.0 SHIFT
BLK/SMOKE





COLOR CODE

COLOR CODE

EXPLORE PRO QUICK SHIFT/ TRACK

CODE
AGKCYB17 (QUICK SHIFT),
AGKCYA17 (TRACK)

PROFILE
Early Rise Rocker

TECHNOLOGY
U-Flex Technology*,
Full Power Cap,
Synflex Core, Fibreglass

GEOMETRY
101/67/91*, 105/67/93*,
109/67/95

LENGTH RADIUS
70(2.5)*, 80(3.5)*, 90(4.8)*,
100(6.3)*, 110(7)*, 120(8.6)*,
130(9.4), 140(11.2), 150(13.1)

SYSTEM/PLATE
QUICK SHIFT/TRACK (110-150)

BINDING
EL 4.5/7.5 AC SHIFT BLK
ESP 4.5/7.5 TRACK PM



EXAR PRO FLAT/TRACK

CODE
AG7ASZ15 (FLAT),
AG7ASX15 (TRACK)

PROFILE
Early Rise Rocker

TECHNOLOGY
Full Power Cap,
Synflex Core,
Fibreglass

GEOMETRY
101/67/91, 105/67/93,
109/67/95

LENGTH RADIUS
70(2.8), 80(3.5), 90(4.7),
100(6.1), 110(7), 120(8.6),
130(9.4), 140(11.2), 150(13.1)

SYSTEM/PLATE
FLAT/TRACK (100-150)

BINDING
ESP 4.5/7.5 TRACK PM





FREELINE CAMO QUICK SHIFT

CODE
AG4CDS16

PROFILE
Conventional

TECHNOLOGY
Full Power Cap,
Synflex,
Fibreglass

GEOMETRY
111/87/100, 115/76/105*

LENGTH RADIUS
99(7.7), 125(8.5)*,
135(10.3)*

SYSTEM/PLATE
QUICK SHIFT

BINDING
EL 10.0 SHIFT WB90
BLK/SMOKE



FREELINE CAMO R FLAT/TRACK

CODE
AGGDRH17

PROFILE
Conventional

TECHNOLOGY
Full Power Cap,
Synflex,
Fibreglass

GEOMETRY
111/87/100, 115/76/105*

LENGTH RADIUS
99(7.7), 125(8.5)*,
135(10.3)*

SYSTEM/PLATE
FLAT/TRACK





BINDING
ESP 10.0 TRACK PM



RENTAL COLOR CODING



TYROLIA RENTAL COLOR CODING*



*Available as a spare part



EXPLORE

SALES CODE: RBJR0114, RBJR0214
TECHNOLOGY: U-Flex, Volume Control Plate (VCP)
CONSTRUCTION: Cabrio construction
SHELL: Polipropylene
LINER: Thermo Insulation
SIZE RANGE: 16.5, 17.5, 18.5, 19.5, 20.5, 21.5, 22.5
BUCKLES: 1 nylon buckle (16.5 – 19.5), 2 nylon buckles (20.5- 22.5)
BENEFITS: Color coding - Easy skiing - Warm feet - Easy entry



EXPLORE XP

SALES CODE: RBJX0114, RBJX0214
TECHNOLOGY: U-Flex, Volume Control Plate (VCP)
CONSTRUCTION: Cabrio construction
SHELL: Polyurethane
LINER: Thermo Insulation
SIZE RANGE: 16.5, 17.5, 18.5, 19.5, 20.5, 21.5, 22.5
BUCKLES: 1 nylon buckle (16.5 – 19.5), 2 nylon buckles (20.5- 22.5)
BENEFITS: Color coding - Easy skiing - Warm feet - Easy entry

SNOWBOARD



THE RIGHT PRODUCT

E Easy selection of products for your customers.

D Einfache Produktauswahl für unsere Kunden.

F Sélection facile des modèles qui conviennent aux utilisateurs.





I Facile scelta dei prodotti per i vostri clienti.



+ STEERING GUIDING

+ EDGE GRIP

+ EDGE ENGAGEMENT
+ EASY TURNING



E Better customer return rate with satisfied customers.


D *Verbessertes Kundenrücklauf mit überzeugten Skifahrern.*

F *Meilleur retour client, et des skieurs satisfaits.*

I *Un alto numero di clienti di ritorno più soddisfatti.*



JUNIOR



RS ROCKER

- Extremely short - Only 75cm long and extremely soft snowboard.



The Elan rental snowboard collection makes snowboarding fun and easy. It features a range of performance that ensures that riders of all ability levels, from beginner to advanced, have the right gear to keep them stoked while out on the slopes. And in the rental shop the color-coding system and easy adjustability of the products make it simple to get each rider exactly what they need, getting them out riding quicker than ever.

Blaise Rosenthal,
Former professional snowboarder

PROVEN DURABILITY

E More rent hours per investment.

D Höhere Rentabilität durch mehr Verleihstunden.

F Investissement rentabilisé par un surcroît d'heures de location.

I Più ore di noleggio a parità di investimento.

1

E Thicker 360° steel edges.

D Verstärkte 360° Stahlkanten.

F Carres acier 360° plus épaisses.

I Lamine a 360° più grosse.

2

E Structured durable and scratch resistant top sheet.

D Langlebige, strukturierte und kratzfeste Oberfläche.

F Dessus structuré résistant à l'usure et aux coups de carres.

I Superficie superiore resistente all'usura ed alle lamine.



3

E Tip an tail protector.

D Protektoren an Skispitzen und -enden.

F Protection de spatule et talon.

I Protezione di punta e coda.

4

E Thicker, low maintenance running base.

D Dickere, pflegeleichte Lauffläche.

F Semelle plus épaisse, nécessitant peu de maintenance.

I Soletta più spessa che necessita poca manutenzione.

BOARDS

TECHNOLOGY

E

1. Structured durable and scratch resistant top sheet
2. Unique barcode identification
3. Thicker 360° steel edges
4. Color coded running base, sidewalls and top sheet
5. Thicker, low maintenance running base
6. Tip and tail protector
7. Wide and SuperWide shape for large feet
(sizes 160W, 165W, 167SW, 171SW)
8. One piece slanted sidewalls

D


1. Haltbares und unempfindliches Topsheet
2. Eindeutige Barcode Identifikation
3. Dickere 360° umlaufende Stahlkanten
4. Lauffläche, Profil und Oberseite kodiert nach Farbe
5. Dickere und sehr pflegeleichte lauffläche
6. Protpektoren an Skispitzen und -enden
7. Form Wide und SuperWide für breitere Fußform
(Größen 160W, 165W, 167SW, 171SW)
8. Schräges, einteiliges Profil

F

1. Durable et résistante structure du topsheet
2. Unique code barres d'identification
3. Carres en acier plus 360° plus épais
4. Semelle, chants et topsheet codifiés par couleur
5. Base plus épaisse et moins d'entretien requière
6. Protection de spatule et talon
7. Forme Wide et SuperWide pour pieds plus larges
(tailles 160W, 165W, 167SW, 171SW)
8. Chants inclinés en une seule pièce

I

1. Struttura solida e duratura in materiale anti graffio
2. Codice a barre identificativo
3. Solide lamina a 360° in acciaio
4. Codice colore su soletta, fianchi e superficie superiore
5. Soletta solida che necessita di poca manutenzione
6. Protezione in punta e coda
7. Foema larga e Super Larga per piedi grandi
(Taglie 160W, 165W, 167SW, 171SW)
8. Fianchi verticali in pezzo unico



BINDINGS

TECHNOLOGY



E

1. Quick tool free adjustability
2. Ankle strap reinforcement frame with bar code pocket**
3. Durable base plate and high back
4. Color coding
5. Toe heel and high back cushion pads
6. Dual toe strap*
7. Strong 2-piece PA buckles

F

1. Rapide ajustements à la main
2. Plastique de renforcement sur la sangle arrière, avec poche pour code barres**
3. Durable embase et highback
4. Couleur codée
5. Pads au niveau de l'avant-pied, sous le talon et dans la partie arrière
6. Double sangle avant*
7. Solides Boucles en PA 2 pièces

D

1. Schnelle werkzeugfreie verstellbarkeit
2. Riststrap mit verstärkten zügen und barcode tasche**
3. Haltbare baseplate und highback
4. Farbkodierung
5. Dämpfungsauflagen im Zehen-, Fersen- und Highback-Bereich
6. Dual toe strap*
7. PA buckles

I

1. Regolazione rapida senza attrezzi: come mostra la figura (pedale gaz, straps e inclinazione dell' high back)
2. Strap della caviglia rinforzato e con custodia per inserire il codice a barre**
3. Resistente piastra base e high back
4. Codice colorato
5. Toe heel e high back con supporto imbottito
6. Dual toe strap*
7. Cricchetti resistenti in PA

* Available with Rental VIP Accelerator

** Available with Rental Basic Accelerator

BOOTS

TECHNOLOGY



1. Reinforced construction and durable materials
2. Rubber lace protector
3. Color coded size label
4. Barcode sleeve
5. Antibacterial EVA liner without laces



1. Construction renforcée et matériaux durables
2. Protecteur du lacet en gomme
3. Etiquette de pointures à couleur codée
4. Fenêtre à code barres
5. Chausson EVA antibactérien sans lacing



1. Verstärkte Konstruktion und besonders haltbare Materialien
2. Schnurbandschoner aus Gummi
3. Farbkodierte Größenlabel
4. Barcodehüllen
5. Antibakterieller Innenschuhe ohne schnurung



1. Costruzione rinforzata e materiali duraturi nel tempo
2. Protezione dei lacci in gomma
3. Codice della taglia colorato
4. Custodia per il codice a barre
5. Scarpa interna in materiale EVA antibatterico

Full sizes/Alle grössen/Pointures a nombre entier /
Numerazione piena Americana



Barcode pocket
and Color coded
size label

RENTAL COLOR CODING CHART

| Snowboards | Bindings | Boots | | | Color coding |
|------------|----------|---------|-----------------|-----------|--------------|
| | | US | EUR | MONDO | |
| 95 - 125 | S | 2 - 6 | 32 - 37 1/3 | 200 - 240 | Yellow |
| 135 - 145 | SM | 7 - 9 | 38 2/3 - 41 1/3 | 250 - 270 | Orange |
| 150 - 160 | ML | 10 - 11 | 42 2/3 - 44 | 280 - 290 | Red |
| 160 - 170 | ML | 12 - 13 | 45 1/3 - 46 2/3 | 300 - 310 | Blue |

BOARDS COLLECTION



COLOR
CODE



EXPLORE

TRUE TWIN TIP SHAPE

135 140 145 150 155 **160W 165W** **167SW 171SW**

SALES CODE EXPLORE: BR7BZS16XXX
PROTECTOR: CA992012000

HyperCamber delivers versatile performance and a perfect ride for a wide range of riders and terrain!

COLOR
CODE



EXPLORE ROCKER


TRUE TWIN TIP SHAPE

135 140 145 150 155 **160W 165W** **167SW 171SW**

SALES CODE EXPLORE ROCKER: BR7BZF16XXX
TIP PROTECTOR: CA992012000

Extra-durability and JibRocker provide advanced riders with a freestyle focused high performance shred machine.

COLOR
CODE



RS ROCKER

TRUE TWIN TIP SHAPE

135 145 150 155 160

SALES CODE RS ROCKER: BR7BYE16XXX
TIP PROTECTOR: CA992012000

HotRocker offers excellent forgiving performance. Entry-level riders can learn quickly with catch free performance and have more fun on the slopes.



Recommended with:
FASTEC ACCELERATOR



Recommended with:
RENTAL VIP ACCELERATOR



Recommended with:
RENTAL BASIC ACCELERATOR

BINDINGS COLLECTION

COLOR
CODE



RS ROCKER (JUNIOR LENGTHS)

TRUE TWIN TIP SHAPE

75" 95" 105" 115" 125"

SALES CODE | RS ROCKER: BR7BYE16XXX

U-Flex and HotRocker give kids the best possible performance for learning to ride and having fun on the slopes!

Prodigy Micro comes with a hole in the tip for pulling kids around with a rope on the flat to get them used to riding and balancing on the board.



Recommended with:
RADON MICRO*

Recommended with:
RENTAL JUNIOR ACCELERATOR



RENTAL FASTEC

SM, ML

| | |
|------------|----------------------------------|
| SALES CODE | CA962616XXX |
| PLATFORM | CBS base and Cocompact High back |
| STRAPS | Elliptical |
| PADDING | Standard |
| FIXATION | Quick Rental |



RENTAL ACC VIP

SM, ML

| | |
|------------|--|
| SALES CODE | CA962816XXX |
| PLATFORM | Accelerator Base and Compact high back |
| STRAPS | Elliptical |
| PADDING | Standard |
| FIXATION | Quick Rental |



RENTAL ACC BASIC

SM, ML

| | |
|------------|--|
| SALES CODE | CA963016XXX |
| PLATFORM | Accelerator Base and Compact high back |
| STRAPS | Elliptical |
| PADDING | Standard |
| FIXATION | Quick Rental |

JUNIOR BINDINGS

COLLECTION



RENTAL JUNIOR

SM, ML

| | |
|-------------------|---|
| SALES CODE | CA96321610S |
| PLATFORM | Accelerator base + Compact Lite High back |
| STRAPS | Elliptical |
| PADDING | Standard |
| FIXATION | Quick Rental |

BOOTS

COLLECTION



RENTAL

034-045

| | |
|------------------------|--|
| SALES CODE | KR965616XXX |
| OUT SOLE | Rubber + Cushion pads + Tongue pull strap |
| LACE | Regular lace + Alu hooks + Flex Window + Laceless liner |
| LINER | L1 liner + Tongue pull strap |
| SPECIAL FEATURE | Durable materials + Color coding |
| SIZES | 020, 030, 040, 050, 060, 070, 080, 090, 100, 110, 120, 130 |



RADON MICRO

XS

| | |
|-------------------|-------------------------------------|
| SALES CODE | CA86241610S |
| PLATFORM | Micro CBS BASE + CBS lite high back |
| STRAPS | Single strap |
| PADDING | Grip ribs |
| FIXATION | MICRO 2X4 |



WITH THE U-GO COLLECTION LEARNING AND TEACHING ARE MORE FUN THAN EVER!

Introducing a new segment of Elan accessories for the 16/17 season.

The U-GO collection is a group of products that help kids learn to ski and snowboard. These products are very useful, and can make life much easier for parents and instructors when teaching children how to make their first turns.

Not only do these products have teaching features, but they also have many alternative functions such as helping to carry equipment or pick a child up after a fall.

These products are a must for the first visits to the slope.



U-GO COLLECTION




HOLDY HOOP

SALES CODE
PSU00516

PRODUCT DESCRIPTION
PVC RING
SIZE: Dia 63 cm

PRODUCT SIZE
One size

USAGE
1_ To teach children how to ski. Adult skis backward, holding hula hoop from one side and child skis forward holding the other side.
2_ For playing numerous games on the slopes when skiing or snowboarding.




VEST

SALES CODE
PSU00616

PRODUCT DESCRIPTION
• The safety vest is ideal for children 2 to 7 years old that are just learning to ski or snowboard.
• The vest features a strap on the back, a zipper, and a lift ticket pocket.

PRODUCT SIZE
S: (2- 4 years old)
M: (5-7 years old)

USAGE
1_ Holding the strap allows for easily helping kids get on and off the chairlift, and is useful for picking them up when they fall.
2_ Kid's skis can be fixed at the back side of the vest, so he or she can carry them easily.
• Bright colors stand out on the slopes.



PACK'N'GO BAG

SALES CODE
PSU00716

PRODUCT DESCRIPTION
Made from water-proof canvas with a drawstring closure at the top
SIZE: 100*90cm

PRODUCT SIZE
One size

USAGE
1_ Space to store all ski gear inside.
2_ Untie the string and the whole bag becomes a dry place to change children's boots
3_ Features a handy strap for easily carrying.



NECK WARMER


SALES CODE
PSU00116

PRODUCT DESCRIPTION

- Special neck warmer, that fastens in the back.
- Material: 100% cotton and polar fleece
- * Unisex

PRODUCT SIZE
One size
Size adjustable.

USAGE
Fastens in the back allowing it to be put on and taken off without removing the child's helmet.



USAGE

- Wooden board on plastic roller used for balance training.
- For recreation, balance training, athletic training, brain development, therapy, musical training and more.

BALANCE BOARD

SALES CODE
PBSB0315

PRODUCT DESCRIPTION
Comes in three pieces wooden board, small plastic roller and larger plastic roller.

PRODUCT SIZE
90x30 cm wooden board

BALANCE BOARD MINI

SALES CODE
PBSB0415

PRODUCT DESCRIPTION
Comes in three pieces wooden board, small plastic roller and wooden chock.

PRODUCT SIZE
60x20 cm wooden board



STICKER PACK


SALES CODE
PSU00916

PRODUCT DESCRIPTION
Package include 5 sheets with 6 fun and 2 name tag stickers.

PRODUCT SIZE
One size

ADVICE
Affirmation prize to give a child to encourage improvement at skiing or snowboarding.

SKI SCHOOL SPECIFIC



SKITTLES


SALES CODE
PSU00816

PRODUCT DESCRIPTION
Plastic skittle.

PRODUCT SIZE
One size

USAGE

- 1_ Kids ski while holding the skittle in front of the body to concentrate on their balance. Helps develop coordinational skills needed for skiing.
- 2_ Playing numerous games such as drawing on the snow.



FOAM CUBE



SALES CODE
PSU00216

PRODUCT DESCRIPTION
MATERIAL: water resistant canvas outside and strong foam inside.
SIZE: 40x40cm

PRODUCT SIZE
One size

USAGE

- 1_ Seat for resting.
- 2_ Useable as a podium (for first place!)



CONES

SALES CODE
PSU00316

PRODUCT DESCRIPTION
Plastic cones
SIZE: 31 cm height / psc
ONE SET INCLUDES: 6 psc

PRODUCT SIZE
One size

PLASTIC HATS

SALES CODE
PSU00416

PRODUCT DESCRIPTION
Plastic hats
SIZE: 10 cm height / psc
ONE SET INCLUDES: 24 plastic hats and a holder

PRODUCT SIZE
One size

USAGE

- Choose and create your own course for:
- teaching kids how to stop
 - training turns
 - warming up your group.



I FEEL
SLOVENIA

PUBLIMARKET

WWW.ELANSKIS.COM

elan

Always Good Times